


G-1815-C14U



Information

- Floor-mount installation
- Aerated flow rate ≤ 1.2 max gpm
- Deck-mounted handle installation
- 9-7/8" spout reach
- 45"-48" spout height (approximate)
- Drain assembly not included
- CALGreen







Product Features

- Floor-mount installation
- Aerated flow rate < 1.2 max gpm
- Deck-Mounted handle installation
- 9-7/8" spout reach
- 45"-48" spout height (approximate)
- Drain assembly not included

Available Finishes

- Polished Chrome G-1815-C14U-PC
- Polished Nickel
 G-1815-C14U-PN
- Unfinished Brass*
 G-1815-C14U-UB*
- Olive Bronze
 G-1815-C14U-OB
- Steelnox
 G-1815-C14U-SN
- Gold*
 G-1815-C14U-AU*
- Brushed Gold*
 G-1815-C14U-BAU*





Code Compliance

CALGreen

Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

^{*} Special order finish- call for availability



C14U-VS





Finishes



24K Gold



Gold



Black™





24K Brushed Architectural Matte Black Olive Bronze



Polished Chrome




Polished Nickel



 $SteeInox \\ \circledR$ (Satin Nickel)



C14U-BS, VS, WS LUNA, SADE, TARGA Series









Finishes



24K Gold



Gold



24K Brushed Architectural Matte Black Olive Bronze Black™









Polished Chrome




Polished Nickel



SteeInox® (Satin Nickel)




G-1050Rough









Information

G-1815-T

- Floor-mount installation
- Aerated Flow Rate ~2.2 gpm @60 psi
- 9-7/8" spout reach
- 45"-48" spout height (approximate)
- Drain assembly not included

Finishes



24K Gold



Gold



Black™





24K Brushed Architectural Matte Black Olive Bronze



Polished Chrome



Polished Nickel



SteeInox® (Satin Nickel)



Architectural White

G-1815-T SPOUT

SADE Series

